

F4 technology for fast and furious graphics

The EFI™ VUTEK® HS100 F4 and VUTEK HS125 F4 hybrid flatbed/roll inkjet presses aren't just fast. They're furious. They feature Fast-4™ technology that uses eight ink channels with a CMYK x 2 configuration for even faster profitable throughput. That means you get four-on-the-floor speed for outdoor and distance-viewed graphics – including point of purchase, posters, signage, bus shelters, stage graphics, and in-store and corrugated folding displays.



At a glance

Increased speed. Increased throughput.
Increased margins. That's what F4 is all about.

- High-speed, dedicated Fast-4 (CMYK x 2) printers
 - Up to 135 boards per hour on the VUTEK HS100 F4
 - Up to 225 boards per hour on the VUTEK HS125 F4
- Versatile 3.2-metre hybrid flatbed/roll-fed printer prints on rigid and flexible materials up to 5.08 cm thick
- Produces high-quality graphics with resolutions of true 600 or 1000 dpi and greyscale print capability
- Standard multi-queue on-demand functionality for multi-job printing
- Fiery® proServer Premium with Fiery XF Production RIP and colour management workflow
- Media handling options to meet any business need – from three-quarter and fully automated loading and unloading to elevated and super-duty winders
- Bidirectional communication capability between the Fiery XF RIP and printer increases workflow efficiencies and job data collection, and it enables seamless integration with EFI Web-to-Print and MIS/ERP solutions with native JDF connectivity
- Enhanced Service Program (ESP) warranty for your printer, Fiery proServer hardware, and Fiery XF software

Media/Handling

- Handles flexible or rigid substrates up to 3.2 m and up to 5.08 cm thick
- Optional material edge guides (MEG) to hold down un-flat materials
- Automated six-zone vacuum table
- Media handling options, from three-quarter loading and unloading to fully automated loading and unloading, to meet any business need
- Optional elevated winders and super-duty winder

Productivity

- VUTEk HS100 F4:
 - Up 135 boards/hour in Distant View/Outdoor mode
 - Up to 110 boards/hour in Production mode
- VUTEk HS125 F4:
 - Up to 225 boards/hour in Distant View/Outdoor mode
 - Up to 160 boards/hour in Production mode

Environmental considerations

- Compressed air: 6.5–10 bar maximum at 113 lmp — dry air only (not included)
- Fully enclosed design for operator safety and environmental considerations
- Machine weight:
 - VUTEk HS125 F4: 6804 kg
 - VUTEk HS100 F4: 5900 kg
- Height: 221 cm
- Width: 732 cm
- Depth: 203 cm
- Electrical: 3 Phase, 5 Wire (3 Phase + neutral + earth ground) 480 VAC @ 60A

Genuine EFI Inks

- Ink delivery system that allows 100% ink utilisation, so no ink is wasted
- Expanded gamut CMYK pigments for world-class Pantone® matching
- EFI develops pigment dispersions that ensure optimised size and concentration for best-in-class ink stability

Fiery digital front end

- Ships with the EFI Fiery proServer Premium digital front end, featuring:
 - FAST RIP (Fiery Accelerated System Technology), Spot Color, Color Profiler, Color Verifier, Cut Marks and File Export Options
 - EFI ES-2000 spectrophotometer
 - 1x Printer Option EFI, 1x Printer Option, M/XL/XXL

Enhanced Service Program (ESP)

- EFI's industry-leading service and support program
- Predictable uptime to maximise profitability
- One year of Critical level coverage, providing you with eight-business-hour response

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalised documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 0808 101 3484 (UK only) or +44 (0)1246 298000 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, DocBuilder, DocBuilder Pro, DockNet, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, FabriVU, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Navigator, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, InkIntensity, Inkware, LapNet, Logic, Metrix, MicroPress, MiniNet, Monarch, OneFlow, Pace, Pegasus, Pegasus Vision, PhotoXposure, PressVu, Printcafe, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, PrintStream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEk, the VUTEk logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.